



1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

PRODUCT NAME:	MACHINE GLASS WASHING LIQ	UID
OTHER NAMES:	NONE.	
	3036320 5L	
RECOMMENDED USE:	Glass cleaner.	
SUPPLIER NAME:	REWARD DISTRIBUTION (ABN 40 0	10 183 669)
ADDRESS:	13 BUSINESS STREET, YATA	LA, QLD, 4207
TELEPHONE:	GENERAL ENQUIRIES:	+ 61 7 3441 5800
FAX:	GENERAL ENQUIRIES:	+ 61 7 3441 5803
EMERGENCY TELEPHONE	NUMBER: AUSTRALIA:	1800 628 724 (ALL HOURS)
	INTERNATIONAL:	+ 61 7 3710 3184 (ALL HOURS)

2. HAZARDS IDENTIFICATION

HAZARD CLASSIFICATION:	Classified as hazardous according to the criteria of Safe Work Australia (SWA). Classified as a dangerous good UN 3266 according to the criteria of ADG Code (see section 14). Classified as schedule 5 according to the criteria of SUSDP (see section 15).
HAZARD CATEGORY:	Xi - Irritant
RISK PHRASES:	R36/38 – Irritating to eyes and skin.
SAFETY PHRASES:	 S2 – Keep out of the reach of children. S24/25 – Avoid contact with skin and eyes. S26 – In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S37/39 – Wear suitable gloves and eye/face protection. S46 – If swallowed, seek medical advice immediately and show this container or label.

The information contained in this MSDS is specific to the product when handled and used neat. This product when diluted may not require the same control measures as the neat product. Check with your technical representative if in doubt.

3. COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT	CAS No.	PROPORTION (% w/w)
The ingredients below are considered either hazardous, dangerous goods or poison scheduled according to the criteria of SWA, ADG Code and SUSDP (respectively) at the levels used in the product.		
Disodium Trioxosilicate	6834-92-0	<10%

The ingredients below are <u>not</u> considered either **hazardous**, **dangerous** goods or poison scheduled according to the criteria of SWA, ADG Code and SUSDP (respectively) at the levels used in the product.

water	>60%
builder	<10%
alkaline salts	<10%
scale inhibitor	<10%
neutralising agent	<10%
dye	<10%



MATERIAL SAFETY DATA SHEET



4. FIRST AID MEASURES

INGESTION:	For advice, contact a Poisons Information Centre (Phone Australia 131126, New Zealand 0800 764 766) or a doctor. If swallowed, do NOT induce vomiting.
EYE CONTACT:	If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.
SKIN CONTACT:	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor.
INHALATION:	Remove from source of exposure to fresh air. Seek medical assistance if the effects persist. ** SHOW THIS SAFETY DATA SHEET TO A DOCTOR **
FIRST AID FACILITIES:	Potable water should be available to rinse eyes or skin. Provide eye baths and safety showers.
NOTES TO PHYSICIAN:	Treat symptomatically and as for strongly alkaline material.

5. FIRE FIGHTING METHODS

HAZCHEM CODE:	NONE
PRECAUTIONS FOR FIRE FIGHTERS AND SPECIAL PROTECTIVE EQUIPMENT:	Fire fighters should wear self-contained breathing apparatus to minimise risk of exposure to vapour or products of combustion.
HAZARDS FROM COMBUSTION:	The product is non-combustible; however, the packaging material may burn to emit noxious fumes.
SUITABLE EXTINGUISHING MEDIA:	Water spray, foam, carbon dioxide or dry chemical powder.

6. ACCIDENTAL RELEASE MEASURES

EMERGENCY PROCEDURES:	Spillages are slippery. Ensure adequate ventilation. Keep spectators away – rope off the area. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contamination.
METHODS AND	Contain the spill and prevent run off into confined areas, drains and waterways.
MATERIALS FOR CONTAINMENT AND CLEAN UP:	Large spills: absorb with dry earth, sand or other similar material. Collect and seal in properly labelled drums for disposal in an area approved by local authority by-laws. Wash area down with excess water to remove residual material.
	Small spills: may be safely mopped up and area washed with excess water.
	Incineration of disposed material is not recommended, as it is unlikely to adequately burn.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING:	Keep containers closed at all times - check regularly for leaks or spills. Transport and store upright. Avoid eye contact and repeated or prolonged skin contact. Do not eat, drink or smoke in contaminated areas. Always remove contaminated clothing and wash hands before eating, drinking, smoking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.
CONDITIONS FOR SAFE STORAGE:	Store in the original container, in a cool dry well-ventilated area out of sunlight and away from incompatible materials and foodstuffs.
	Keep containers closed when not in use to ensure contamination does not occur use - check regularly for leaks. Do not combine part drums of the same product, as this may be a source of contamination. Do not mix with other chemicals.
	We do not recommend storage in aluminium or galvanised containers or the use of die-cast zinc or aluminium bungs; plastic bungs should be used.
	This material is a Scheduled Poison S5 and must be stored, maintained and used in accordance with the relevant regulations.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

NATIONAL EXPOSURE STANDARDS:	No value assigned for this specific material by the Safe Work Australia.
BIOLOGICAL LIMIT VALUES:	No biological limit allocated.
ENGINEERING CONTROLS:	Ensure ventilation is adequate. Use with local exhaust ventilation or while wearing a respirator. Keep containers closed when not in use.



MATERIAL SAFETY DATA SHEET



Protective equipment must be worn at all times. Risk assessments should always be PERSONAL PROTECTIVE conducted to identify the hazards and in turn determine the appropriate personal protective EQUIPMENT: equipment for the hazard. Protective gloves: elbow-length natural rubber, nitrile, neoprene or PVC impervious gloves. Always check with the glove manufacturer or your personal protective equipment supplier regarding the correct type of glove to use. Consult AS/NZS 2161 for further information. Eve protection: safety glasses/goggles with side shield protection and/or full-face shield. Consult AS/NZS 1336 and AS/NZS 1337 for further information. Clothing and footwear: waterproof apron, coveralls, trousers, long sleeved shirt, closed in shoes and/or safety footwear. Consult AS/NZS 2210 and AS/NZS 2919 for further information. Respiratory Protection: Avoid breathing mist, sprays or vapours. Where ventilation is not adequate, respiratory protection may be required. Any air-purifying respirator with a particulate and/or gas filters or any chemical cartridge respirator with cartridge(s) providing protection against the compound of concerns meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

9. PHYSICAL AND CHEMICAL PROPERTIES:

APPEARANCE:	Clear, yellow liquid.
ODOUR:	Odourless.
PH (NEAT):	> 13
SPECIFIC GRAVITY OR DENSITY:	1.13
VAPOUR PRESSURE:	No information available.
PERCENT VOLATILES:	Approx. 87% w/w.
BOILING POINT / RANGE:	No information available.
FREEZING / MELTING POINT:	No information available.
SOLUBILITY:	The product is water based and is fully soluble in water.
FLASH POINT:	No known fire hazard.
FLAMMABILITY LIMITS:	No information available.
IGNITION TEMPERATURE:	No information available.
SHELF LIFE:	2 years from manufacturing date (when stored as directed).
OTHER:	None.

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY:	The product is stable under normal conditions of use. The shelf life is 2 years.
CONDITIONS TO AVOID:	Do not combine part drums of the same product, as this may be a source of contamination.
INCOMPATIBLE MATERIALS:	Acids, aluminium, ammonium salts, tin or zinc coated metals.
HAZARDOUS DECOMPOSITION PRODUCTS:	The packaging material may burn to emit noxious fumes.
HAZARDOUS REACTIONS:	Reacts violently with acids. Reacts with ammonium salts and a toxic ammonia gas may be liberated. Reacts with aluminium, zinc, tin and alloys and may liberate hydrogen gas which is extremely flammable.

11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

INGESTION:	Can be severely irritating if swallowed.
EYE CONTACT:	Can severely irritate the eyes. May cause severe damage.
SKIN CONTACT:	Capable of causing skin irritation and may defat the skin with continual use.
INHALATION:	Vapours, mists and sprays are capable of causing irritation.
LONG TERM EFFECTS:	No information available.



MATERIAL SAFETY DATA SHEET



ACUTE TOXICITY / CHRONIC TOXICITY:	No toxicity data for this specific product, however toxicity data for the hazardous ingredient is listed below. TOXICITY DATA FOR DISODIUM TRIOXOSILICATE:	
	Oral LD50 (rat): 1153 mg/kg Skin (human): 250 mg/ 24 Hr / Severe.	Oral LD50 (mice): 770 mg/kg. Oral (dog) LDLo: 250 mg/kg
12. ECOLOGICAL	INFORMATION	

ECOTOXICITY:	Avoid contaminating waterways. The product is alkaline. If large spills occurred a water pH rise could be responsible for an environmental effect on aquatic organisms. If not neutralised this product could potentially be toxic for aquatic organisms because of its alkalinity (pH> 9 can have an effect on fish, with possible fish death). pH> 8.5 could be destroying for algae.
	ECOTOXICITY DATA FOR DISODIUM TRIOXOSILICATE:
	Bacteria-30 min. ECO(Pseudomonas putida) >1000mg/l LC50 Gambusia affinis 2320 mg/l/96h (pH 8.9-10.1) EC50 Daphnia 247 mg/l/100h (pH 9.1)
PERSISTENCE AND DEGRADABILITY:	Product is considered to be readily biodegradable to AS4351.
MOBILITY:	No information available.
OTHER:	None.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHODS:	Empty containers should be forwarded to an approved agent for recycling. Avoid unauthorised discharge to sewer.
SPECIAL PRECAUTIONS FOR LANDFILL OR INCINERATION:	The product is suitable for disposal by landfill through an approved agent. Incineration of the product is not recommended, as it is unlikely to adequately burn.

14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT:	Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail.
UN NUMBER:	3266
UN PROPER SHIPPING NAME:	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium metasilicate)
CLASS AND SUBSIDIARY RISK(S):	8
PACKAGING GROUP:	III
HAZCHEM CODE:	2X
INITIAL EMERGENCY RESPONSE GUIDE:	Guide 37
SEGREGATION DANGEROUS GOODS:	Not to be loaded with explosives (class 1), dangerous when wet substances (class 4.3), oxidising agents (class 5.1), organic peroxides (class 5.2), radioactive substances (class 7), corrosives (strong acids of class 8), foodstuffs and foodstuff empties, however exemptions may apply.
MARINE TRANSPORT:	Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.
UN NUMBER:	3266
UN PROPER SHIPPING NAME:	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium metasilicate)
CLASS AND SUBSIDIARY RISK(S):	8
PACKAGING GROUP:	III
STOWAGE AND SEGREGATION:	Category A. Clear of living quarters.
AIR TRANSPORT:	Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) for transport by air.
UN NUMBER:	3266
UN PROPER SHIPPING NAME:	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium metasilicate)
CLASS AND SUBSIDIARY RISK(S):	8
PACKAGING GROUP:	III
ERG CODE:	8L





15. REGULATORY INFORMATION

POISONS SCHEDULE (AUST.):	5
APVMA STATUS:	Not relevant.
TGA STATUS:	Not relevant.
AICS STATUS:	All the constituents of this product are listed.
AQIS STATUS:	Not relevant.
OTHER:	Not relevant.

16. OTHER INFORMATION

GENERAL INFORMATION:	None.
MSDS ISSUE NUMBER:	003
MSDS ISSUE DATE:	09 APRIL 2015
In any event, the review and, if necessary, the re-issue of a MSDS shall be no longer than 5 years after the last date of issue.	
REASON(S) FOR ISSUE:	003: Regular update, DG classification changes.

THIS ISSUE NUMBER REPLACES ALL PREVIOUS ISSUES.

LITERARY REFERENCE:

SOURCES FOR DATA:

LEGEND:	
AICS	Australian Inventory of Chemical Substances
APVMA	Australian Pesticides and Veterinary Medicines Authority
AQIS	Australian Quarantine and Inspection Service
AS	Australian Standard (as issued by Standards Australia)
ASCC	Australian Safety and Compensation Council (formerly NOHSC)
ERP Code	Emergency Response Drill Code as found in the ICAO (International Civil Aviation Organisation) Doc 9481
MSDS	Material Safety Data Sheet
NOHSC	National Occupational Health and Safety Commission
STEL	Short Term Exposure Limit - A 15 minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL.
SWA	Safe Work Australia (formerly ASCC)
TGA	Therapeutic Goods Administration
TLV	Threshold Limit Value - TLV is a proprietary name registered by the American Conference of Governmental Industrial Hygienists (ACGIH) and refers to airborne concentrations of substances or levels of physical agents to which it is believed that nearly all workers may be repeatedly exposed day after day without adverse effect.
TWA	Time Weighted Average - The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week.

This MSDS has been prepared from current technical data and summarises at the date of issue our best knowledge of the health and safety information of the product, and in particular how to safely handle and use the product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.

This MSDS may only be reproduced in full. Summaries or excerpts from this MSDS may not contain all the relevant information and thus are not permitted.

End of MSDS